
# TWOP World AIDS Day December 1st

#TWOPWAD2020



'ENDING THE HIV/AIDS EPIDEMIC: RESILIENCE AND IMPACT'









#### **About HIV/AIDS**

HIV (human immunodeficiency virus) is the virus that can cause AIDS (acquired immunodeficiency syndrome) if it is not treated and attacks the body's immune system.



#### **Ocular Conditions due to HIV / AIDS**

HIV Retinopathy United

Cytomegalovirus (CMV) retinitis


• Kaposi's sarcoma of aptom

 Herpes zoster ophthalmicus (HZO)



# **HIV Retinopathy**

- HIV retinopathy is the most common eye problem.
- This is a problem with the vessels in the retina, the lining at the back of the eye that senses light coming into the eye.
- The retina has tiny blood vessels that can get blocked or bleed and cause damage.
- Small hemorrhages (bleeding) and **Cotton wool spots** (white spots because of blocked blood vessels) are seen in the retina.










# Cytomegalovirus (CMV) Retinitis

- CMV retinitis is the most commonly opportunistic infection occurring inside the eye of patients with HIV.
- CMV infects the retina when HIV has weakened the immune system of an infected person. World of optom
- If not treated, CMV retinitis may cause the retina to pull away from the back of the eye.
- This is called Retinal detachment(RD) which can lead to blindness.





## Kaposi's sarcoma



- Kaposi's sarcoma is a rare tumor that occurs in the eyes of patients with HIV.
- It is a red or purple mass that forms on the white part of the Eye or on the eyelid.
- Kaposi's sarcoma can also appear in other places of the body, most commonly on the skin or mouth.





#### #TwopWAD

### Herpes zoster ophthalmicus (HZO)


- Herpes zoster ophthalmicus (HZO):
   HZO is a common infection caused
   by reactivation of the chickenpox
   virus.
- It can occur in older adults (60+) or in younger people who are living with HIV.
- HZO can occur anywhere in the body, most commonly on the face and eyes.
- HZO can damage the eyes, Causing pain and loss of vision

EARLY ERYTHREMA AND EDEMA VESICULAR AND PUSTULAR RASH



# Signs & Symptoms / Diagnosis

- Asymptomatic, until it gets worse.
- It is important to get yearly comprehensive eye exams or more often (every three months) with a weakened immune system with an eye care professional.











#### **#TwopWAD**

#### **Treatment**

- Medicines can help treat infections
   Tumors may be treated with
   Radiation or surgery.
- Retina damaged by bleeding and swelling inside the eye may need surgery or laser treatment.



 A person with HIV who maintains a healthy immune system by taking antiviral drug treatments as recommended are at lower risk of developing HIV-related eye diseases.



"OPEN YOUR EYES BEFORE AIDS CLOSES THEM"

Vorld of opton





